

Product Sheet

1148972

Anita

- Recessed luminaire for outdoor installation in ground, wall and ceiling.
- Configuration: turned aluminium body (EN AW-6060 alloy) with 15 micron anodizing for high resistance to corrosion.
- Opal or transparent polycarbonate diffuser (semispherical or flat) with silicone gasket and anodized aluminium cap or frame.
- Protection Rating: IP67.
- In compliance with EN 60598-1 standards.
- Class of insulation: III.
- Installation: Anita is equipped with a piece of bipolar cable (200mm) for an easy-to-make connection. Installation requires a dedicate box to be ordered separately.
- Anita 24V is equipped with a dc/dc highly efficient resin-coated converter that removes electromagnetic interference and allows parallel wiring. Anita is protected against polarity reversal and sudden voltage peak.
- We recommend the use of a connection system with a protection degree greater than or equal to the protection degree of the luminaire



IP67   

Available Colors for this Version



Anodized aluminium

Anita Power LED / Aluminium Frame - Opal Diffuser



Light Flux



Placement



Product Code Details

1148972

Light Source
WARM WHITE 3000K POWER LED 1W/12÷24Vdc
Total power 1,9W
LED Im 104 FIXT Im 30
CRI >80
Remote electronic power supply to be ordered



Accessories




Box for installation
Ø 67 x H 70 mm
Code: 122



Power supply dual
function

Vout 24Vdc:
8W/100÷240V
Iout 350mA:
6X1W/100÷240V
IP20 CLASS II
SELV EQ.

Code: 150



Power supply dual
function

Vout 24Vdc:
8W/100÷240V
Iout 350mA:
6X1W/100÷240V -
IP65 CLASS II
SELV EQ.

Code: 106



Power supply

10W/110÷240V -
24Vdc
IP20 CLASS II
SELV.

Code: 87



Power supply

10W/110÷240V -
24Vdc
IP67 CLASS II
SELV.

Code: 175



Power supply

17W/110÷240V -
24Vdc
(15W@110V) IP20
CLASS II SELV.

Code: 144



Power supply

20W/220÷240V -
24Vdc
IP67 CLASS II
SELV.

Code: 147



Power supply

50W/120÷240V -
24Vdc
IP67 CLASS II
SELV.

Code: 155



Power supply

70W/220÷240V -
24Vdc
IP67 CLASS II
SELV EQ.

Code: 110



Power supply

100W /120÷240V -
24Vdc
IP67 CLASS II
SELV.

Code: 156